

L Number	Hits	Search Text	DB	Time stamp
-	273	(data adj processing) and (ordered adj list) and parallel and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 14:12
-	51	((data adj processing) and (ordered adj list) and parallel and @ad<=19990902) and (top with list)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 13:36
-	120	((data adj processing) and (ordered adj list) and parallel and @ad<=19990902) and ((top or start\$4 or begin\$4) with list)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 14:17
-	6	(insert and remove) same (ordered adj list) and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 14:27
-	140	(display\$4 or output\$4) and (ordered adj list).ab. and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 15:40
-	17	(display\$4 or output\$4) and (ordered adj list).ti. and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 15:13
-	17	((display\$4 or output\$4) and (ordered adj list).ab. and @ad<=19990902) and ((display\$4 or output\$4) with (top or start or begin\$5 or front))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 15:19
-	9	((display\$4 or output\$4) and (ordered adj list).ab. and @ad<=19990902) and insert and remove	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 15:17
-	7	((display\$4 or output\$4) and (ordered adj list).ab. and @ad<=19990902) and ((display\$4 or output\$4) with (top or start or begin\$5 or front)) with list	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 15:21
-	7	((display\$4 or output\$4) and (ordered adj list).ab. and @ad<=19990902) and (((display\$4 or output\$4) with (top or start or begin\$5 or front)) with list)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/16 15:23
-	3	((display\$4 or output\$4) and (ordered adj list).ab. and @ad<=19990902) and (((display\$4 or output\$4) with (top or start or begin\$5 or front)) with list)) and activity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 15:35
-	33	(display or outout) and (ordered adj list) and ((tracking or monitoring) with activity) and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 15:39
-	0	((ordered adj list) and (track\$4 or monitor\$4) with activit\$3).ab. and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 15:42
-	9	((ordered adj list) and (track\$4 or monitor\$4)).ab. and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 15:49

-	1	((ordered adj list) and (track\$4 or monitor\$4)).ab. and @ad<=19990902) and remov\$5 and insert\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 15:45
-	1	((ordered adj list) and (track\$4 or monitor\$4)).ab. and @ad<=19990902) and remov\$5 and insert\$4) and (display\$4 or output\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 15:45
-	22	(maint\$8 with (ordered adj list)).ab. and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 15:55
-	9	((maint\$8 with (ordered adj list)).ab. and @ad<=19990902) and (track\$4 or monitor\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 15:55
-	120	(maint\$8 with (ordered adj list)) and (track\$4 or monitor\$4) and (insert\$4 and (remov\$4 or delet\$4)) and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/20 15:57
-	505	((display\$4 or output\$5) adj (latest or newest or current)) with (list or queue or stack or heap)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 11:14
-	339	((display\$4 or output\$5) adj (latest or newest or current)) with (list or queue or stack or heap) and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 11:17
-	159	((display\$4 or output\$5) adj (latest or newest or current)) with (list or queue or stack or heap) and @ad<=19990902) and configuration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 12:43
-	2	((display\$4 or output\$5) adj (latest or newest or current)) with activit\$4 with (list or queue or stack or heap) and @ad<=19990902) and configuration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 12:45
-	11	(US-6349320-\$ or US-6138123-\$ or US-4890257-\$ or US-6295534-\$ or US-6470362-\$ or US-6351754-\$ or US-6253212-\$ or US-6074299-\$ or US-6249520-\$).did. or (JP-63231543-\$).did. or (US-4943968-\$).did.	USPAT; JPO; DERWENT	2003/03/21 12:48
-	4	((US-6349320-\$ or US-6138123-\$ or US-4890257-\$ or US-6295534-\$ or US-6470362-\$ or US-6351754-\$ or US-6253212-\$ or US-6074299-\$ or US-6249520-\$).did. or (JP-63231543-\$).did. or (US-4943968-\$).did.) and parallel	USPAT	2003/03/21 12:49
-	270	(ordered adj list) and (configur\$6 with devices)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 13:38
-	190	((ordered adj list) and (configur\$6 with devices)) and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 13:37

-	105	(ordered adj list) and (configur\$6 near3 devices) and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 13:39
-	88	(ordered adj list) and (configur\$6 near2 devices) and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 13:42
-	3	(ordered adj list) same (configur\$6 near2 devices) and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 13:42
-	166576	list and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 18:03
-	7708	(list and @ad<=19990902) and stack and top	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 16:23
-	119	((list and @ad<=19990902) and stack and top) and (insert with top)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 16:23
-	81586	configur\$8 with devices	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/24 14:19
-	23058	(configur\$8 with devices) and (list queue stack)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/24 14:19
-	9526	((configur\$8 with devices) and (list queue stack)) and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/24 15:28
-	1594	((((configur\$8 with devices) and (list queue stack)) and @ad<=19990902) and ((complet\$4 remov\$4 delet\$4 pop\$4) near3 (stack list queue)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/24 14:21
-	57	(((((configur\$8 with devices) and (list queue stack)) and @ad<=19990902) and ((complet\$4 remov\$4 delet\$4 pop\$4) near3 (stack list queue))) and (configur\$6 with devices).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/24 14:22
-	48	(((((configur\$8 with devices) and (list queue stack)) and @ad<=19990902) and ((complet\$4 remov\$4 delet\$4 pop\$4) near3 (stack list queue))) and (configur\$6 with devices).ab.) not international.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/24 15:07
-	11	(((((configur\$8 with devices) and (list queue stack)) and @ad<=19990902) and ((complet\$4 remov\$4 delet\$4 pop\$4) near3 (stack list queue))) and (configur\$6 with devices).ab.) not international.as.) and (configur\$6 with (start\$4 begin\$4 begun))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/24 14:25

-	13	(US-6349320-\$ or US-6138123-\$ or US-6119185-\$ or US-5113522-\$ or US-4890257-\$ or US-6295534-\$ or US-6470362-\$ or US-6351754-\$ or US-6253212-\$ or US-6074299-\$ or US-6249520-\$).did. or (JP-63231543-\$).did. or (US-4943968-\$).did.	USPAT; JPO; DERWENT	2004/04/24 14:49
-	7	((US-6349320-\$ or US-6138123-\$ or US-6119185-\$ or US-5113522-\$ or US-4890257-\$ or US-6295534-\$ or US-6470362-\$ or US-6351754-\$ or US-6253212-\$ or US-6074299-\$ or US-6249520-\$).did. or (JP-63231543-\$).did. or (US-4943968-\$).did.) and ((delet\$4 remov\$4) with (stack list))	USPAT	2004/04/24 14:48
-	1	("6389447").PN.	USPAT	2004/04/24 14:49
-	1	((("6389447").PN.) and (delet\$4 remov\$4 pop\$4)	USPAT	2004/04/24 14:51
-	0	((("6389447").PN.) and parallel	USPAT	2004/04/24 14:52
-	0	(display\$3 near5 (top near3 stack)) and g06f\$.ipc	USPAT	2004/04/24 14:53
-	46	(display\$3 near5 (top near3 stack)) and g06f\$.ipc.	USPAT	2004/04/24 15:36
-	39	((display\$3 near5 (top near3 stack)) and g06f\$.ipc.) and list	USPAT	2004/04/24 14:53
-	32	((display\$3 near5 (top near3 stack)) and g06f\$.ipc.) and list) not international.as.	USPAT	2004/04/24 15:42
-	27	((display\$3 near5 (top near3 stack)) and g06f\$.ipc.) and list) not international.as.) and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/24 14:54
-	9	((display\$3 near5 (top near3 stack)) and g06f\$.ipc.) and list) not international.as.) and @ad<=19990902) and parallel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/24 14:54
-	0	((display\$3 near5 (top near3 stack)) and g06f\$.ipc.) and list) not international.as.) and @ad<=19990902) and parallel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/24 15:07
-	149	((display\$3 near5 (top near3 stack)) and g06f\$.ipc.) and list) not international.as.) and @ad<=19990902) and parallel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/24 15:11
-	138	((display\$3 near5 (top near3 stack)) and g06f\$.ipc.) and list) not international.as.) and @ad<=19990902) and parallel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/24 15:28
-	8	(display\$3 near3 previous) with (configur\$6 near3 device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/24 15:23
-	12779	((insert\$3 push\$3 enqueue\$4 insert\$3) near3 configuration) and device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/24 15:27

-	587	((((insert\$3 push\$3 enqueue\$4 insert\$3) near3 configuration) and device) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/24 15:28
-	547	(((((insert\$3 push\$3 enqueue\$4 insert\$3) near3 configuration) and device) and g06f\$.ipc.) not international.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/24 15:28
-	241	(((((insert\$3 push\$3 enqueue\$4 insert\$3) near3 configuration) and device) and g06f\$.ipc.) not international.as.) and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/24 15:42
-	7	((display\$3 near5 (top near3 stack)) and g06f\$.ipc.) and (configurat\$4 same devices)	USPAT	2004/04/24 15:34
-	14	(display\$3 near5 (top near3 stack)) and g06f\$.ipc. and ((configuration configuring) with device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/24 15:41
-	1695	g06f\$.ipc. and (((configuration configuring) with device) same (stack list queue))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/24 15:43
-	852	g06f\$.ipc. and (((configuration configuring) with device) with (stack list queue))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/24 15:44
-	316	(g06f\$.ipc. and (((configuration configuring) with device) with (stack list queue))) not international.as.	USPAT	2004/04/24 15:43
-	243	((g06f\$.ipc. and (((configuration configuring) with device) with (stack list queue))) not international.as.) and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/24 15:43
-	339	g06f\$.ipc. and (((configuration configuring) near3 device) with (stack list queue))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/24 15:43
-	119	(g06f\$.ipc. and (((configuration configuring) near3 device) with (stack list queue))) not international.as.	USPAT	2004/04/24 15:44
-	92	((g06f\$.ipc. and (((configuration configuring) near3 device) with (stack list queue))) not international.as.) and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/24 15:45
-	305	g06f\$.ipc. and (((configuration configuring) near3 device) with (stack list))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/24 15:45
-	103	(g06f\$.ipc. and (((configuration configuring) near3 device) with (stack list))) not international.as.	USPAT	2004/04/24 15:46
-	80	((g06f\$.ipc. and (((configuration configuring) near3 device) with (stack list))) not international.as.) and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/24 15:52
-	45	g06f\$.ipc. and (((configuration configuring) near3 device) with (stack))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/24 15:45

-	19	(g06f\$.ipc. and (((configuration configuring) near3 device) with (stack))) not international.as.	USPAT	2004/04/24 15:55
-	16	((g06f\$.ipc. and (((configuration configuring) near3 device) with (stack))) not international.as.) and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/24 15:52
-	637	(determin\$4 adj configuration) with device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/24 15:52
-	37	((determin\$4 adj configuration) with device) same (list stack)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/24 15:55
-	13	((determin\$4 adj configuration) with device) same (list stack)) and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/24 15:55
-	53	((determin\$4 adj configuration) with device) and stack	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/24 15:55
-	25	((determin\$4 adj configuration) with device) and stack) not international.as.	USPAT	2004/04/24 15:55
-	19	((determin\$4 adj configuration) with device) and stack) not international.as.) and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/24 15:55
-	3078	(device near3 configur\$) same (list queue stack)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 14:28
-	1146	((device near3 configur\$) same (list queue stack)) and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 14:37
-	25429	(display\$3) near3 status	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 14:35
-	7815	((display\$3) near3 status) and parallel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 14:35
-	141	((display\$3) near3 status) and (parallel with activities)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 14:36
-	148	((display\$3) near3 status) and (parallel with activit\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 14:37
-	13	((display\$3) near3 status) and (parallel with activit\$)) and (display\$3 with fail\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 14:37

-	9	(((((display\$3) near3 status) and (parallel with activit\$)) and (display\$3 with fail\$)) and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 14:47
-	79	(monitor\$3 track\$3 trac\$3) with (display\$3 with (previous and status))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 14:47
-	37	((monitor\$3 track\$3 trac\$3) with (display\$3 with (previous and status))) and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 14:48
-	4	((monitor\$3 track\$3 trac\$3) with (display\$3 with (previous and status))) and @ad<=19990902) and (configur\$ with device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 18:01
-	7647	(config\$ with devices).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 18:31
-	8	((config\$ with devices).ab.) and (display\$3 near3 previous)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 18:02
-	4	((config\$ with devices).ab.) and (display\$3 near3 previous)) and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 19:59
-	4212	((config\$ with devices).ab.) and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 18:26
-	282	((config\$ with devices).ab.) and @ad<=19990902) and (stack queue)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 18:27
-	104	((config\$ with devices).ab.) and @ad<=19990902) and (stack queue) and list	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 18:27
-	102	((config\$ with devices).ab.) and @ad<=19990902) and (stack queue) and list) and configuration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 18:28
-	13	((config\$ with devices).ab.) and @ad<=19990902) and (stack queue) and list) and configuration) and ((track\$3 monitor\$3) near3 activities)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 18:28
-	1048	(config\$ with devices).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 18:32
-	563	((config\$ with devices).ti.) and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 18:35

-	22	((config\$ with devices).ti.) and @ad<=19990902) and ((config\$ near3 device) with (list stack queue))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 18:37
-	1	((config\$ with devices).ti.) and @ad<=19990902) and ((config\$ near3 device) and (ordered adj list))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/14 18:37
-	1	((US-6389447-\$).did.) and device	USPAT	2004/05/14 19:58
-	2	(top near3 stack) with (device adj config\$)	USPAT	2004/05/14 19:59
-	80	stack with (device adj config\$)	USPAT	2004/05/14 19:59
-	48	(stack with (device adj config\$)) and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 11:23
-	13082	710/\$.ccls. and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 12:20
-	449	(710/\$.ccls. and @ad<=19990902) and (config\$ near3 (complet\$3 finish\$3 done))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 12:21
-	23	((710/\$.ccls. and @ad<=19990902) and (config\$ near3 (complet\$3 finish\$3 done))) and (config\$ with stack)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 11:41
-	1	("6529964").PN.	USPAT	2004/05/15 11:45
-	1	("5768542").PN.	USPAT	2004/05/15 11:45
-	67	(710/\$.ccls. and @ad<=19990902) and ((config\$ near3 device) with (list stack queue))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 12:06
-	37	((710/\$.ccls. and @ad<=19990902) and ((config\$ near3 device) with (list stack queue))) and ((insert\$3 push\$3 pop\$4 delet\$3 plac\$3 add\$3 enter\$3) near3 (list stack queue))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 12:07
-	23	(710/\$.ccls. and @ad<=19990902) and (configurations adj (list stack queue))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 12:21
-	19	((710/\$.ccls. and @ad<=19990902) and (configurations adj (list stack queue))) not international.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 12:24
-	7	((710/\$.ccls. and @ad<=19990902) and (configurations adj (list stack queue))) not international.as.) and (config\$ near3 devices)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 18:50
-	125909	config\$ near3 device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 18:51

-	1756	config\$ adj (stack list)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 18:51
-	372	(config\$ near3 device) and (config\$ adj (stack list))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 18:52
-	4	((config\$ near3 device) and (config\$ adj (stack list))) and (config\$3 near (start\$3 beg\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 18:52
-	1	((((config\$ near3 device) and (config\$ adj (stack list))) and (config\$3 near (start\$3 beg\$6))) and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 18:56
-	355	(configuration adj stack) and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 18:58
-	58	((configuration adj stack) and @ad<=19990902) and (config\$ with device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 18:58
-	1	((((configuration adj stack) and @ad<=19990902) and (config\$ with device)) and 310/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 18:57
-	218	(configuration adj (list queue)) and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 18:58
-	68	((configuration adj (list queue)) and @ad<=19990902) and (config\$ with device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/15 18:58
-	26	(US-6249520-\$ or US-6389447-\$ or US-5430839-\$ or US-6470362-\$ or US-6349320-\$ or US-6138123-\$ or US-6119185-\$ or US-6253212-\$ or US-6074299-\$ or US-6351754-\$ or US-6457069-\$ or US-4890257-\$ or US-5113522-\$ or US-6295534-\$ or US-6658202-\$ or US-6125408-\$ or US-5991826-\$ or US-5748980-\$ or US-6349306-\$ or US-5872928-\$ or US-5592373-\$ or US-5109484-\$ or US-5056001-\$).did. or (US-20030041088-\$).did. or (JP-63231543-\$).did. or (US-4943968-\$).did.	USPAT; US-PGPUB; JPO; DERWENT	2004/05/16 15:21

-	1	((US-6249520-\$ or US-6389447-\$ or US-5430839-\$ or US-6470362-\$ or US-6349320-\$ or US-6138123-\$ or US-6119185-\$ or US-6253212-\$ or US-6074299-\$ or US-6351754-\$ or US-6457069-\$ or US-4890257-\$ or US-5113522-\$ or US-6295534-\$ or US-6658202-\$ or US-6125408-\$ or US-5991826-\$ or US-5748980-\$ or US-6349306-\$ or US-5872928-\$ or US-5592373-\$ or US-5109484-\$ or US-5056001-\$).did. or (US-20030041088-\$).did. or (JP-63231543-\$).did. or (US-4943968-\$).did.) and (previous near3 device)	USPAT	2004/05/16 15:22
-	7	(display\$3 near3 (previous near configuration))	USPAT	2004/05/16 15:25
-	6	((display\$3 near3 (previous near configuration))) and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/16 15:29
-	1	(display\$3 near (previous adj configuration))	USPAT	2004/05/16 15:26
-	0	(display\$3 adj ((previous before preceding earlier prior) adj configuration))	USPAT	2004/05/16 15:27
-	4	(display\$3 adj3 ((previous before preceding earlier prior) adj configuration))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/16 15:28
-	195	((previous before preceding earlier prior) near3 (device adj configuration))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/16 15:37
-	105	((previous before preceding earlier prior) near3 (device adj configuration))) and @ad<=19990902	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/16 15:29
-	98	((previous before preceding earlier prior) near3 (device adj configuration))) and @ad<=19990902) not international.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/16 15:37
-	53	((previous before preceding earlier) near3 (device adj configuration))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/16 15:37
-	48	((previous before preceding earlier) near3 (device adj configuration))) not international.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/16 15:37